

Section 1: Identification

1.1 Product Identifier

Name

PolyMaster 1.5 Component B

1.2 Identified use for substance and uses against No data

NU Uata

1.3 Company Details

Name	Deutsch Master
Address	Nikolaus-Otto-Straße 15
	24568, Kaltenkirchen
	Germany
English Phone	+44 (0) 7393969802 (Daytime & Emergency)
Spanish Phone	+56 (0) 940295536 (Daytime & Emergency)
Email	Info@dm-chemicals.com
Website	dm-chemicals.com

Section 2: Hazards

2.1 Materials Classification

	-	
Hazard class and category	Code	Hazard statement
Respiratory sensitisation	H317	May cause allergic reaction
Skin corrosion/ irritation	H315	Causes skin irritation
Serious eye damage or irritation	H319	Causes serious eye irritation
Respiratory sensitisation	H334	May cause allergy, asthma or breathing difficulties if inhaled
Carcinogenicity	H351	Suspected of causing cancer
Acute toxicity	H332	Harmful if inhaled
Specific Target Organ Toxicity (STOT) – single exposure	H335	Can cause respiratory irritation
Specific Target Organ Toxicity (STOT) – repeated exposure	H373	Can cause damage to organs

2.2 Labelling

Hazard Pictograms



Signal word



2.2 Labelling – continued

Hazard Components	Diphenylmethandiisocyanat, isomers and homologues Reaction mass of 4,4'-methylenediphenyldiisocyanate and o-(isocyanatobenzyl)phenylisocyanate 4,4'-methylenediphenyl diisocyanate
Precautionary prevention	Avoid breathing any dust, mists or vapours Wear appropiate clothing, eye, hand, face protection In poorly ventilated areas wear a respirator
Precautionary response	Skin contact: wash thoroughly with warm soapy water Inhalation: move to area of fresh air Eye contact: rinse cautiously with water for 5 mins (remove glasses or contact lenses if possible)

2.3 Other hazards No Data

Section 3: Component information

3.2 Hazardous ingredients		
Product Codes	Substance Name	Concentration
CAS: 9016-87-9	Diphenylmethandiisocyanat, isomers and homologues (GHS07, GHS08) (H332, H351, H319, H334, H373, H335, H315, H317)	Weight: 60 – 100 %
Reach No: 01- 2119457015-45- XXX	Reaction mass of 4,4'-methylenediphenyldiisocyanate and o-(isocyanatobenzyl)phenylisocyanate (GHS07, GHS08) (H332, H351, H319, H334, H373, H335, H315, H317)	Weight: 5 – 20 %
CAS: 101-68-8 Reach: 01- 2119457014-47- XXXX	4,4'-methylenediphenyl diisocyanate (GHS07, GHS08) (H332, H351, H319, H334, H373, H335, H315, H317)	Weight: < 10 %

Section 4: First Aid4.1: First aid guidance
In case of accident or
if you feel unwell:Seek medical advice immediately. Show this safety data
sheet to the doctor in attendance.
Remove the victim from the contaminated area.
Remove contaminated clothing and wash exposed skin
with soap and water.If unconscious but
breathing:Place the victim in the recovery position and maintain an
open airway.
Seek medical attention immediately.



Following inhalation:	Move the exposed person to fresh air. If experiencing respiratory irritation, provide oxygen therapy and consult a physician. If breathing is irregular or stopped, administer artificial respiration using a bag-valve mask or ventilator. Do not perform mouth-to-mouth or mouth-to-nose resuscitation. Seek immediate medical advice.
In case of skin contact:	Immediately wash the contaminated area thoroughly with soap and running water for at least 15 minutes. If skin irritation or rash occurs, seek medical advice. Remove contaminated clothing and wash it before reuse.
After eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, seek medical advice.
Following ingestion:	Rinse the victim's mouth with water. Do not induce vomiting. Give the victim small sips of water to drink (dilution effect). Seek medical advice immediately.
Self-protection of the first aider:	Wear personal protective equipment (PPE) as specified in Section 8 (Exposure Controls/Personal Protection) of this Safety Data Sheet. Avoid direct contact with the contaminated person or clothing. Do not administer mouth-to-mouth resuscitation.
Notes to physician:	Treat symptomatically.

4.2 Most notable symptoms acute and delayed.

Skin corrosion/irritation Allergic reactions Serious eye damage/eye irritation Asthmatic complaints Respiratory complaints Irritation to respiratory tract



Section 5: Extinguishing a fire

5.1 Extinguishing medium

Suitable	Foam powder
	Carbon Dioxide
	Water spray
	Water mist

Unsuitable Any water jet

5.2 Hazards biproducts arising from mixture combustion

Any gases, vapours can be toxic

5.3 Firefighter advice

Self-contained breathing apparatus advised; chemical protective clothing advised

5.4 Further comments

Ensure any extinguishing medium is collected separately and not disposed of in general waste or drains.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment, and emergency procedures

- 6.1.1. For non-emergency personnel
 Personal precautions: Remove persons to safety.
 Protective equipment: Wear protective gloves/protective clothing/eye protection/face protection.
- 6.1.2. For emergency responders Personal protection see section 8 equipment:

6.2. Environmental precautions

Do not allow to enter surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous

earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling:	See section 7
Personal protection	
equipment:	see section 8

Although the information and specifications provided in this document are, to the best of our knowledge, accurate and truthful, Deutsch Master recommends that users conduct a trial to confirm the suitability of the product for the intended application. Please note that regional climatic conditions may result in variations in the product's performance. No warranty, express or implied, is provided or implied in connection with any recommendations or suggestions made by Deutsch Master, its representatives, agents, or distributors. The information contained in this technical data sheet is effective from the date shown and supersedes all previous data. Customers should check with their local Deutsch Master office to ensure they are referencing the current version.



Disposal:

see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

Section 7: Handling & storage			
7.1 Precautions for safe handling			
Advice on safe handling	Wear personal protection equipment (see section 8)		
Advice on occupational hygiene	Avoid eating, drinking, or smoking in proximity to product. Avoid contact with skin or eyes.		
7.2 Conditions for safe storage, including and incompatibilities			
Technical measures & storage conditions	Keep container tightly closed in a cool, well ventilated place		
Requirements for storage rooms and vessels	Store only in original container		
Further information on storage conditions	Avoid UV-radiation, direct sunlight, excessive heat, excessive cold		

Section 8: Exposure control/ personal protection

8.1: Control Parameters/ Occupational exposure limits (OEL)

[1]: Long-term occupational exposure limit value

[2]: Short-term occupational exposure limit value

[4]: Monitoring and observation processes

[3]: Instantaneous value

[5]: Remark

Limit value type	Substance comments	Exposure limit value
(country of origin)		
NIOSH (US)	Diphenylmethandiisocyanat,	[1]: 0.005 ppm (0.05 mg/m³)
	isomers and homologues	[3]: 0.02 ppm
	CAS: 9016-87-9	[5]: 4,4'-methylenediphenyl diisocyanate – CAS:
		101-68-8
TRGS 900 (DE)	Diphenylmethandiisocyanat,	[1]: 0.05 mg/m ³
	isomers and homologues	[2]: 0.05 mg/m ³
	CAS: 9016-87-9	[3]: 0.1 mg/m ³
		[5]: calculated as MDI (einatembare Fraktion,
		kann über die Haut aufhenommen werden DFG,
		H, Sah, Y, 12)
NIOSH (US)	4,4'-methylenediphenyl	[1]: 0.005 ppm (0.05 mg/m³)
	diisocyanate	[3]: 0.02 ppm (0.2 mg/m ³)
	CAS: 101-68-8	
	Reach: 01-2119457014-47-XXXX	



TRGS 900 (DE)	4,4'-methylenediphenyl	[1]: 0.05 mg/m ³
	diisocyanate	[2]: 0.05 mg/m ³
	CAS: 101-68-8	[3]: 0.1 mg/m ³
	Reach: 01-2119457014-47-XXXX	[5]: Aerosol und Dampf, einatembare Fraktion,
		kann über die Haut afgenommen werden (DFG,
		11, 12, H, Sah, Y)

8.2: Exposure control

8.2.2 Personal protection equipment (PPE) Eye/ face protection Ey

Eye glasses with side protection

Skin protection

Protective gloves

Respiratory protection

Ventilator/ mask with air filtering capabilities recommended

9.1: Information on basic physical and chemical properties

Appearance:

State	Liquid
Colour	Brown
Odour	N/A

Relevant Data	
рН	N/A
Melting point	N/A
Approx. boiling point	>300°C
Flash point	200°C
Density	1.23 g/cm³

Section 10: Stability & reactivity

10.4: conditions to avoid

Acids, water, alcohols, alkalines, amines

Section 11: Toxicology information				
11.1:Information on hazard classes				
Acute oral toxicity	Based on available data, N/A			
Acute dermal toxicity	Based on available data, N/A			
Skin irritation	Causes skin irritation			
Serious eye irritation	Causes serious eye irritation			
Respiratory or skin sensitivity	May cause allergic or asthma symptoms or beathing difficulties if inhaled. May cause an allergic reaction.			



Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure

Aspiration hazard Additional Information

Based on available data, N/A Suspected of causing cancer Based on available data, N/A May cause respiratory irritation May cause damage to organs through prolonged or repeated exposure Based on available data, N/A N/A

Section 12: Ecological information

12.1: Toxicology Based on available data, N/A

12.2: Persistence and degradability

Based on available data, N/A

12.3: Bioaccumulate potential Based on available data, N/A

12.4: Mobility in soil

Based on available data, N/A

12.5: Results and vPvB assessment

Based on available data, N/A

12.6: Endocrine disrupting properties

Based on available data, N/A

12.7: Other effects N/A

Section 13: Disposal consideration

13.1: Waste treatment methods

When disposing, follow local laws and guidance on disposal, or consult a local expert.

Section 14: Transport information



	Land transport	Inland water freight	Sea freight	Air freight
14.1: UN no./ ID no.	No dangerous goods in sense of these transport regulations			
14.2: UN proper shipping name	No dangerous goods in sense of these transport regulations			
14.3: Transport hazard class	N/A	N/A	N/A	N/A
14.4: Packing group	N/A	N/A	N/A	N/A
14.5: Environmental hazards	N/A	N/A	N/A	N/A
14.6: Special precautions	N/A	N/A	N/A	N/A
14.7: Maritime transport in bulk according to IMO insturments	N/A	N/A	N/A	N/A

Section 15: Regulatory information

15.1: Safety, health, and environmental regulations specific for the mixture From Aug 2023 it is mandatory for persons to undertake adequate training before professional use.

Training is strongly recommended before use.

Before handling/ using product, ensure local laws and guidelines have been studied.

15.2: Chemical Safety Assessment

N/A

Section 16: Other Information

16.1: Indication of change N/A

16.2: Abbreviations and acronyms N/A

16.3: Key literature references and sources of data

N/A



16.4: Classification of mixtures and used evaluation method

Hazard class and category	Code	Hazard statement
Respiratory sensitisation	H317	May cause allergic reaction
Skin corrosion/ irritation	H315	Causes skin irritation
Serious eye damage or irritation	H319	Causes serious eye irritation
Respiratory sensitisation	H334	May cause allergy, asthma or breathing difficulties if inhaled
Carcinogenicity	H351	Suspected of causing cancer
Acute toxicity	H332	Harmful if inhaled
Specific Target Organ Toxicity (STOT) – single exposure	H335	Can cause respiratory irritation
Specific Target Organ Toxicity (STOT) – repeated exposure	H373	Can cause damage to organs

16.5: List of relevant hazard statements and/or precautionary statements

H315	Causes skin irritation
H317	May cause allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulty
	May cause respiratory irritation
H335	Suspected of causing cancer
H351	May cause damage to organs through prolonged exposure
H373	

16.6: Training advice

N/A

16.7: Additional information

N/A